

Genfarm Acetochlor 840 Herbicide

Version number: 1.0

Date of compilation: 17.06.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name **Genfarm Acetochlor 840 Herbicide**

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses **Herbicide**

1.3 Details of the supplier of the safety data sheet

Nutrien Ag Solutions New Zealand Limited
37 Westward Way
Methven, 7730, New Zealand
Email: adminnz@nutrien.com

Telephone: 021 0831 6608
Emergency Phone Number: National Poisons Centre - 0800 764 766 (0800 POISON)

Imported/Manufactured by:
Nutrien Ag Solutions Limited
Level 5, Building A; 26 Talavera Road
Macquarie Park NSW 2113
Australia

Telephone: +61 (02) 9889 5400

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Hazardous Substances (Hazard Classification) Notice 2020.

Classified as Dangerous Goods according to the New Zealand Standard NZS 5433:2020 - Transport of dangerous goods on land.

Classification acc. to GHS

Hazard class	Category	Classification code
Acute toxicity (oral)	4	H302
Acute toxicity (inhal.)	4	H332
Skin corrosion/irritation	2	H315
Serious eye damage/eye irritation	2	H319
Skin sensitisation	1	H317
Carcinogenicity	2	H351
Reproductive toxicity	2	H361f
Specific target organ toxicity - repeated exposure	2	H373
Hazardous to the aquatic environment - acute hazard	1	H400
Hazardous to the aquatic environment - chronic hazard	1	H410

Supplemental hazard information

Hazardous to soil organisms. Hazardous to terrestrial vertebrates.

For full text of abbreviations: see SECTION 16.

Genfarm Acetochlor 840 Herbicide

Version number: 1.0

Date of compilation: 17.06.2025

2.2 Label elements

Signal word

Warning

Pictograms



Hazard statements

H302+H332	Harmful if swallowed or if inhaled.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H351	Suspected of causing cancer.
H361f	Suspected of damaging fertility.
H373	May cause damage to organs through prolonged or repeated exposure.
H410	Very toxic to aquatic life with long lasting effects.

Hazardous to soil organisms. Hazardous to terrestrial vertebrates.

Precautionary statements

P201	Obtain special instructions before use.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P312	Call a POISON CENTRE/doctor if you feel unwell.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P501	Dispose of contents/container to industrial combustion plant.

SECTION 3: Composition/information on ingredients

Mixture of substances as listed below.

Description of the mixture

Mixture of substances listed below with ingredients not classified as hazardous.

Name of substance	CAS No	Wt%	Classification acc. to GHS
Acetochlor	34256-82-1	70 – 90	Acute Tox. 4 / H302 Acute Tox. 4 / H332 Skin Irrit. 2 / H315 Skin Sens. 1 / H317 Carc. 2 / H351 Repr. 2 / H361f STOT SE 3 / H335 STOT RE 2 / H373 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410

Genfarm Acetochlor 840 Herbicide

Version number: 1.0

Date of compilation: 17.06.2025

SECTION 4: First aid measures

4.1 Description of first aid measures

Following inhalation

Provide fresh air. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Mouth to mouth resuscitation should be avoided. Use alternative methods, preferably with oxygen or compressed air driven apparatus.

Following skin contact

After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. If skin irritation persists: Get medical advice/attention.

Following eye contact

Remove contact lenses, if present and easy to do. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. Seek medical attention.

Following ingestion

Keep at rest. Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. Get emergency medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

Causes serious eye irritation. Harmful if swallowed. May cause gastrointestinal irritation, nausea, diarrhoea and vomiting. Inhalation of mist may cause respiratory irritation. Causes skin irritation.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO₂)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products include oxides of carbon, oxides of nitrogen, and hydrogen chloride. HAZCHEM (Emergency Action) Code: 3Z

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Ventilate affected area. Prevent skin contact. Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. Collection and use of expertise.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Bunding, Covering of drains

Genfarm Acetochlor 840 Herbicide

Version number: 1.0

Date of compilation: 17.06.2025

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use only in well-ventilated areas. Handle and open container with care.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs. May damage the unborn child. Pregnant women must not handle this product.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and well-ventilated area. Keep container tightly closed. Protect from sunlight. Avoid temperatures below 5°C and above 35°C. Keep away from strong acids, and strong oxidising agents.

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

This information is not available

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection. Use safety goggle with side protection. Use protective eyewear to guard against splash of liquids.

Skin protection

- Hand protection

Wear protective gloves. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Wash hands and face thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Type: A-P2 (combined filters against particles and organic gases and vapours) according to AS/NZS1716 standards.

Genfarm Acetochlor 840 Herbicide

Version number: 1.0

Date of compilation: 17.06.2025

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	brown, clear
Odour	odourless
Boiling point	not determined
Flammability	non-combustible
Flash point	does not flash up to boiling point
Decomposition temperature	no data available
pH (value)	5 – 9
Density	1.12 g/cm ³
Water solubility	miscible in any proportion
Vapour pressure	negligible

SECTION 10: Stability and reactivity

10.1 Chemical stability

Stable under normal conditions of use.

10.2 Possibility of hazardous reactions

No known hazardous reactions.

10.3 Conditions to avoid

UV-radiation/sunlight. Keep away from incompatible materials. Avoid temperatures below 5°C and above 35°C.

10.4 Incompatible materials

Strong acids, and strong oxidising agents.

10.5 Hazardous decomposition products

Oxides of carbon, oxides of nitrogen, and hydrogen chloride.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Harmful if swallowed. Harmful if inhaled.

Acute toxicity estimate (ATE) of components of the mixture			
Name of substance	CAS No	Exposure route	ATE
acetochlor	34256-82-1	oral	1,929 mg/kg
acetochlor	34256-82-1	inhalation: vapour	11 mg/l/4h
acetochlor	34256-82-1	inhalation: dust/mist	3.99 mg/l/4h

Genfarm Acetochlor 840 Herbicide

Version number: 1.0

Date of compilation: 17.06.2025

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

Suspected of damaging fertility.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Acetochlor	34256-82-1	LC50	0.36 mg/l	rainbow trout (Onco-rhynchus mykiss)	96 h
Acetochlor	34256-82-1	EC50	8.3 mg/l	water flea (Daphnia)	48 h
Acetochlor	34256-82-1	EC50	0.0036 mg/l	green algae (Pseudokirchneriella subcapitata)	72 h

Aquatic toxicity (chronic) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Acetochlor	34256-82-1	NOEC	0.13 mg/l	rainbow trout (Onco-rhynchus mykiss)	21 d
Acetochlor	34256-82-1	NOEC	0.00059 mg/l	green algae (Pseudokirchneriella subcapitata)	96 h
Acetochlor	34256-82-1	NOEC	0.022 mg/l	water flea (Daphnia)	21 d

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

Genfarm Acetochlor 840 Herbicide

Version number: 1.0

Date of compilation: 17.06.2025

12.5 Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0,1\%$.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions.

Waste treatment of containers/packages

Only packages which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

UN number

UN RTDG, IMDG, IATA UN 3082

UN proper shipping name

UN RTDG, IMDG, IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains acetochlor)

Transport hazard class(es)

UN RTDG, IMDG, IATA 9

Packing group

UN RTDG, IMDG, IATA III

Danger label(s)



Special provisions (SP) 274, 331, 335, 363

Excepted quantities (EQ) E1

Limited quantities (LQ) 5 L

HAZCHEM (Emergency Action) Code 3Z

Marine pollutant YES (hazardous to the aquatic environment) (acetochlor)

ERG (ANZ 2024) Guide No. 171

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Agricultural Compounds and Veterinary Medicines Act 1997

Registered pursuant to the ACVM Act 1997, No. P10387.

Hazardous Substances and New Organisms Act 1996

Approved pursuant to the HSNO Act 1996. Approval Code HSR000404.

Genfarm Acetochlor 840 Herbicide

Version number: 1.0

Date of compilation: 17.06.2025

SECTION 16: Other information

Abbreviations and acronyms

Acute Tox.	acute toxicity
Aquatic Acute	hazardous to the aquatic environment - acute hazard
Aquatic Chronic	hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
Carc.	carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
NOEC	No Observed Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
Repr.	reproductive toxicity
Skin Corr.	corrosive to skin
Skin Irrit.	irritant to skin
Skin Sens.	skin sensitisation
STOT RE	specific target organ toxicity - repeated exposure
STOT SE	specific target organ toxicity - single exposure
vPvB	very Persistent and very Bioaccumulative

Key literature references and sources for data

Hazardous Substances (Safety Data Sheets) Notice 2017.
New Zealand Standard NZS 5433:2020 - Transport of dangerous goods on land.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product. The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Nutrien Ag Solutions makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet.