

acc. to Environmental Protection Authority New Zealand

# **Genfarm Epoxi 125 SC Fungicide**

Version number: 1.0 Date of compilation: 13.06.2025

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name Genfarm Epoxi 125 SC Fungicide

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Fungicide

## 1.3 Details of the supplier of the safety data sheet

Nutrien Ag Solutions New Zealand Limited 37 Westward Way Methven, 7730, New Zealand Email: adminnz@nutrien.com

Telephone: 021 0831 6608

Emergency Phone Number: National Poisons Centre - 0800 764 766 (0800 POISON)

Imported/Manufactured by: Nutrien Ag Solutions Limited Level 5, Building A; 26 Talavera Road Macquarie Park NSW 2113 Australia

Australia

Telephone: +61 (02) 9889 5400

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Hazardous Substances (Hazard Classification) Notice 2020.

Not classified as Dangerous Goods according to the New Zealand Standard NZS 5433:2020 - Transport of dangerous goods on land.

Classification acc. to GHS

Hazard class	Category	Classification code
Carcinogenicity	2	H351
Reproductive toxicity	2	H361
Specific target organ toxicity - repeated exposure	2	H373
Hazardous to the aquatic environment - chronic hazard	3	H412

For full text of abbreviations: see SECTION 16.

#### 2.2 Label elements

Signal word Warning

**Pictograms** 





acc. to Environmental Protection Authority New Zealand

# **Genfarm Epoxi 125 SC Fungicide**

Version number: 1.0 Date of compilation: 13.06.2025

#### Hazard statements

H351 Suspected of causing cancer.

H361 Suspected of damaging fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H412 Harmful to aquatic life with long lasting effects.

#### **Precautionary statements**

P201 Obtain special instructions before use.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hear-

ing protection.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P314 Get medical advice/attention if you feel unwell.

P501 Dispose of contents/container to industrial combustion plant.

# **SECTION 3: Composition/information on ingredients**

#### Mixture of substances as listed below.

Description of the mixture

Mixture of substances listed below with ingredients not classified as hazardous.

Name of substance	CAS No	Wt%	Classification acc. to GHS
Epoxiconazole	133855-98-8	10 - 15	Carc. 2 / H351 Repr. 1B / H360 Aquatic Chronic 2 / H411

### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

## Following inhalation

Provide fresh air. In case of respiratory tract irritation, consult a physician.

#### Following skin contact

After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. If skin irritation occurs: Get medical advice/attention.

#### Following eye contact

Remove contact lenses, if present and easy to do. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. If eye irritation persists: Get medical advice/attention.

#### Following ingestion

Keep at rest. Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. Seek medical attention

### 4.2 Most important symptoms and effects, both acute and delayed

May cause eye irritation, redness and tearing. May cause gastrointestinal irritation, nausea, diarrhoea and vomiting. Skin contact may cause mild irritation. Inhalation of mist may cause respiratory irritation.

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet



acc. to Environmental Protection Authority New Zealand

# **Genfarm Epoxi 125 SC Fungicide**

Version number: 1.0 Date of compilation: 13.06.2025

## 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products include oxides of carbon, oxides of nitrogen, cyanides, chlorine compounds, and fluorine compounds.

## 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

## For non-emergency personnel

Ventilate affected area. Prevent skin contact. Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. Collection and use of expertise.

## For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

## 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Bunding, Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

#### Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation  $% \left( 1\right) =\left( 1\right) \left( 1\right) \left$ 

Use only in well-ventilated areas. Handle and open container with care.

## Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs. May damage the unborn child. Pregnant women must not handle this product.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and well-ventilated area. Keep container tightly closed. Protect from sunlight. Protect from freezing. Keep away from strong acids, strong bases, and strong oxidising agents.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

This information is not available



acc. to Environmental Protection Authority New Zealand

# **Genfarm Epoxi 125 SC Fungicide**

Version number: 1.0 Date of compilation: 13.06.2025

#### 8.2 Exposure controls

## Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

## Eye/face protection

Wear eye/face protection. Use safety goggle with side protection. Use protective eyewear to guard against splash of liquids.

## Skin protection

### - Hand protection

Wear protective gloves. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Wash hands and face thoroughly after handling.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection. Type: G (agriculture chemicals) according to AS/NZS1716 standards.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Physical state	liquid (suspension)
Colour	white
Odour	slight, like solvents
Boiling point	not determined
Flammability	non-combustible
Flash point	>100 °C
Decomposition temperature	no data available
pH (value)	6-9
Density	1.05 <sup>g</sup> / <sub>cm³</sub>

Water solubility	dispersible

### **SECTION 10: Stability and reactivity**

#### 10.1 Chemical stability

Stable under normal conditions of use.

#### 10.2 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.3 Conditions to avoid

UV-radiation/sunlight. Keep away from incompatible materials. Do not store below 10°C.

## 10.4 Incompatible materials

Strong acids, strong bases, and strong oxidising agents.

# 10.5 Hazardous decomposition products

Oxides of carbon, oxides of nitrogen, cyanides, chlorine compounds, and fluorine compounds.



acc. to Environmental Protection Authority New Zealand

# **Genfarm Epoxi 125 SC Fungicide**

Version number: 1.0 Date of compilation: 13.06.2025

# **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity of components					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Epoxiconazole	133855-98-8	oral	LD50	>5,000 <sup>mg</sup> / <sub>kg</sub>	rat
Epoxiconazole	133855-98-8	inhalation: dust/mist	LC50	>5.3 <sup>mg</sup> / <sub>l</sub> /4h	rat
Epoxiconazole	133855-98-8	dermal	LD50	>2,000 <sup>mg</sup> / <sub>kg</sub>	rat

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

## Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

## Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Suspected of causing cancer.

## Reproductive toxicity

Suspected of damaging the unborn child. Suspected of damaging fertility.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

## Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components					
Name of substance	me of substance CAS No Endpoint \		Value	Species	Exposure time
Epoxiconazole	133855-98-8	EC50	8.69 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
Epoxiconazole	133855-98-8	ErC50	>10.7 <sup>mg</sup> / <sub>l</sub>	algae	72 h



acc. to Environmental Protection Authority New Zealand

# **Genfarm Epoxi 125 SC Fungicide**

Version number: 1.0 Date of compilation: 13.06.2025

Aquatic toxicity (chronic) of components of the mixture					
Name of substance CAS No Endpoint Value Species Exposure time					
Epoxiconazole	133855-98-8	NOEC	0.63 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	21 d

## 12.2 Persistence and degradability

Data are not available.

## 12.3 Bioaccumulative potential

Data are not available.

### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of  $\geq 0.1\%$ .

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions.

Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

## **SECTION 14: Transport information**

**UN number** not subject to transport regulations

**UN proper shipping name** not relevant

Transport hazard class(es) none

Packing group not assigned

## **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Agricultural Compounds and Veterinary Medicines Act 1997

Registered pursuant to the ACVM Act 1997, No. P10373.

Hazardous Substances and New Organisms Act 1996

Approved pursuant to the HSNO Act 1996. Approval Code HSR101056.



acc. to Environmental Protection Authority New Zealand

# **Genfarm Epoxi 125 SC Fungicide**

Version number: 1.0 Date of compilation: 13.06.2025

## **SECTION 16: Other information**

### Abbreviations and acronyms

Aquatic Chronic	hazardous to the aquatic environment - chronic hazard
Carc.	carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NOEC	No Observed Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
Repr.	reproductive toxicity
vPvB	very Persistent and very Bioaccumulative

# Key literature references and sources for data

Hazardous Substances (Safety Data Sheets) Notice 2017.

New Zealand Standard NZS 5433:2020 - Transport of dangerous goods on land.

### **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product. The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Nutrien Ag Solutions makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet.