



SAFETY DATA SHEET

Section 1. Identification of the material and the supplier

Product: **PHOENIX® FUNGICIDE**
Name of active ingredient: Folpet
Product Use: Fungicide
Restriction of Use: Refer to Section 15

New Zealand Supplier: ADAMA New Zealand Ltd
Address: Level 1/93 Bolt Road
Tahunanui, Nelson
Telephone: +64 3 543 8275
Email: nzorders@adama.com

Emergency Telephone: 0800 764 766 (National Poison Centre)
0800 734 607 (24hr Emergency Response)

Date of SDS Preparation: 07 May 2024

Section 2. Hazards Identification

This substance is hazardous according to the Hazardous Substances (Hazard Classification) Notice 2020

HSNO Approval No: HSR101068

Pictograms



Signal Word: **Warning**

HSNO Classification	Hazard Code	Hazard Statement
Carcinogenicity Category 2	H351	Suspected of causing cancer.
Hazardous to the aquatic environment acute Category 1	H400	Very toxic to aquatic life.
Hazardous to terrestrial vertebrates	H433	Harmful to terrestrial vertebrates.

Prevention Code	Prevention Statement
P102	Keep out of reach of children.
P202	Do not handle until all safety precautions have been read and understood.
P273	Avoid unintended release into the environment.
P280 + P281	Wear protective clothing and use personal protective equipment as specified in section 8.

Response Code	Response Statement
P101	If medical advice is needed, have product container or label at hand.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P391	Collect spillage.

Storage Code	Storage Statement
P405	Store locked up in the original, unopened container in a cool, dry place, out of direct sunlight and away from stockfeed or foodstuffs.

Disposal Code	Disposal Statement
P501	Wherever possible completely use material by using according to label instructions. Dispose of unwanted product and wastes from spillages as hazardous substances in accordance with local and national regulations using a licensed waste disposal company. Triple rinse containers and add rinsate to spray tank before puncturing and offering for recycling or landfill. Precautions: Do not allow product to enter waterways. Disposal methods to avoid: Do not burn product or container.

Section 3. Composition / Information on Ingredients

Ingredients	Wt%	CAS NUMBER.
Folpet	38-42	133-07-3
Fumaric Acid	1.0-1.5	110-17-8
Methenamine	0.5-1.0	100-97-0
Sulphonated aromatic polymer, sodium salt	3.0-5.0	Proprietary
Other non-hazardous ingredients	Balance	NA

Section 4. First Aid Measures

Routes of Exposure:

If in Eyes	Rinse cautiously with water for 15 minutes. If eye irritation persists: Get medical advice.
If on Skin	Wash with plenty of soap and water. If skin irritation: get medical advice/attention.
If Swallowed	If swallowed do NOT induce vomiting. Rinse mouth. Drink plenty of water. For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor.
If Inhaled	Remove person to fresh air. Remove contaminated clothing and loosen remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Get medical advice if breathing becomes difficult.

Most important symptoms and effects, both acute and delayed

Symptoms:

Ingestion:	Not applicable.
Inhalation:	Not applicable.
Skin:	Not applicable.
Eye:	Not applicable.
Chronic:	Suspected of causing cancer.

Section 5. Fire Fighting Measures

Hazard Type	Non-Flammable.
Hazards from combustion products	CSC12, HCl, SOX, NOX, CO, CO2
Suitable Extinguishing media	Small fire: Dry chemical, foam, carbon dioxide. Large fire: Water spray, fog or regular foam.
Precautions for	In the event of fire, wear self-contained breathing apparatus.

firefighters and special protective clothing	In the event of fire and/or explosion do not breathe fumes.
HAZCHEM CODE	3Z

Section 6. Accidental Release Measures

In the event of a major spill, prevent spillage from entering drains or water courses. Wear full protective clothing including eye/face protection. Evacuate area from unnecessary personnel.

Absorb remainder in sand or other inert material, placing in appropriate containers for disposal.

Dispose of according to Local Regulations.

Section 7. Handling and Storage

Precautions for Handling:

- Keep out of reach of children.
- Do not handle until all safety precautions have been read and understood.
- Avoid unintended release into the environment.
- Wear protective clothing and use personal protective equipment as specified in section 8.

Precautions for Storage:

- Store away from incompatible materials listed in Section 10.
- Keep away from children.
- Store locked up.
- Keep container tightly closed in a dry and well-ventilated place.
- Store in the original, unopened container in a cool, dry place, out of direct sunlight and away from stockfeed or foodstuffs.
- As a substance with aquatic ecotoxicity classifications, storage of Phoenix Fungicide must be carried out in such a manner as to prevent contamination of waterways. It is recommended that The New Zealand Standard for the Management of Agrichemicals (NZS8409) is followed.

Section 8 Exposure Controls / Personal Protection

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

Substance	TWA		STEL	
	ppm	mg/m ³	ppm	mg/m ³

No ingredients have exposure limits

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices NOV 2017 9TH EDITION.

Engineering Controls

Ensure adequate ventilation, especially in confined areas.

Personal Protection Equipment



Eyes	Tight sealing safety goggles or face shield.
Hands and Skin	Wear suitable protective clothing and chemical resistant boots. Chemical resistant gloves.
Respiratory	During spraying wear suitable respiratory equipment.
General	When handling do not eat, drink or smoke. Wash hands thoroughly after handling. Wash clothing separately before re-use.

Section 9 Physical and Chemical Properties

Appearance	Beige white liquid
Odour	Organic Slight
Odour Threshold	Not applicable
pH	4.5 - 6
Boiling Point	Not applicable
Melting Point	Not applicable
Freezing Point	Not applicable
Flash Point	>80°C
Flammability	Not applicable
Upper and Lower Exposure Limits	Not applicable
Vapour Pressure	Not applicable
Vapour Density	Not applicable
Relative Density	1.24 - 1.28 (22°C)
Solubilities	Emulsifiable.
Partition Coefficient:	Not applicable
Auto-ignition Temperature	>400°C
Decomposition Temperature	Not applicable
Kinematic Viscosity	1500 mm ² /s 40°C
Particle Characteristics	Not applicable

Section 10. Stability and Reactivity

Stability of Substance	This product is stable under normal conditions.
Conditions to Avoid	Heat, flames and sparks.
Incompatible Materials	No information available.
Hazardous Decomposition Products	No information available.

Section 11 Toxicological Information

Acute Effects:

Swallowed	Not applicable
Dermal	Not applicable.
Inhalation	Not applicable.
Eye	Not applicable.
Skin	Not applicable.

Chronic Effects:

Carcinogenicity	Suspected of causing cancer.
Reproductive Toxicity	Not applicable.
Germ Cell Mutagenicity	Not applicable.
Aspiration	Not applicable.
STOT/SE	Not applicable.
STOT/RE	Not applicable.

	Value	Species	Method
Oral LD ₅₀ mg/kg :	>5000	Rat	OECD 401
Dermal LD ₅₀ mg/kg :	>2000	Rat	OECD 402
Inhalation LC ₅₀ mg/l/4h :	>5.28	Rat	OECD 403

Section 12. Ecotoxicological Information

Aquatic toxicity	Values	Species	Method
Fish 96-hour LC ₅₀ mg/l :	0.256	Rainbow trout	OECD 204
Crustacea 48-hour EC ₅₀ mg/l:	3.9	Daphnia magna	OECD 202
Algae 72-hour EC ₅₀ mg/l :	48.4	Scenedesmus subspicatus	OECD 201
Other plants EC ₅₀ mg/l :			OECD 221
Terrestrial toxicity			
Birds oral LD ₅₀ mg/kg			
Chemical name			
Folpet :	>2510	Bobwhite quail	EPA 71-1
Bees oral LD ₅₀ pg/ee			
Chemical name			
Folpet :	>236		EPPO 170 (1992) Oral
Persistence and degradability			
Abiotic degradation			
Water DT₅₀ days			
Folpet :	<0.05 O		ECD 111 pH 7
Soil DT₅₀ days			
Folpet :	4.3		SETAC 25°C
Biodegradation			
Folpet :	Readily biodegradable		OECD 301 B
Bioaccumulative potential			
Partition coefficient			
(n-octanol/water) Log Pow			
Folpet :	3.017		
Bioconcentration factor (BCF)			
Folpet :	56		OECD 305E
Mobility in soil			
Adsorption/desorption			
Folpet :	304		Koc

Section 13. Disposal Considerations

Disposal Method: Wherever possible completely use material by using according to label instructions. Dispose of unwanted product and wastes from spillages as hazardous substances in accordance with local and national regulations using a licensed waste disposal company. Triple rinse containers and add rinsate to spray tank before puncturing and offering for recycling or landfill.



Precautions: Do not allow product to enter waterways.

Disposal methods to avoid: Do not burn product or container.

Section 14 Transport Information

This product is classified as a Dangerous Good for transport in NZ; NZS 5433



Road and Rail Transport

UN No:	3082
Class-primary	9
Packing Group	III
Proper Shipping Name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID (Folpet)

Air Transport

UN No:	3082
Class-primary	9
Packing Group	III
Proper Shipping Name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID (Folpet)

Marine Transport

UN No:	3082
Class-primary	9
Packing Group	III
Proper Shipping Name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID (Folpet)

Special Provisions:

If the product's individual container is below 5L/kg, it can be transported as a non-DG as long as the product packaging is still labelled as per DG requirements and the driver is given safety information in accordance with Chapter 3.4 of the UNRTDG.

This substance is hazardous according to the Hazardous Substances (Hazard Classification) Notice 2020

HSNO Approval Code: HSR100376

HSNO Classification: Reproductive toxicity Category 2, Hazardous to the aquatic environment acute Category 1, Hazardous to terrestrial vertebrates.

Refer to EPA website www.epa.govt.nz for controls document - HSR101068

HSW (HS) Regulations 2017 and EPA Notices	Trigger Quantity
Certified Handlers	Not required
Location Certificate	Not required
Tracking Trigger Quantities	Not required
Signage Trigger Quantities	100 L (9.1A)
Emergency Response Plan	100 L (9.1A)
Secondary Containment	100 L (9.1A)
HSNO Additional Controls or Variations to Notices	
Variation to Hazardous Property Controls Notice Part 4B	A person applying this substance must ensure the application is carried out in accordance with the following application restrictions: (a) the substance must not be applied at rates exceeding 1.5 L of formulated product/ha per application (equivalent to 0.75 kg folpet / ha); and (b) the substance must not be applied to the same area more than two times in any 365 day period; and (c) an interval of at least 14 full days must be observed before the substance is reapplied to the same area.
Application method restrictions	No person may apply this substance using aerial application methods.
Hazardous Property Controls Notice 2017	
HPC Notice Part 1	Hazardous Property Controls preliminary provisions
HPC Notice Part 3	Hazardous substances in a place other than a workplace
HPC Notice Part 4 Subpart A	Substances that are hazardous to the environment: Site and storage controls
HPC Notice Part 4 Subpart B	Use of substances that are hazardous to the environment
HPC Notice Part 4 Clause 47	Equipment for environmentally hazardous substances must be appropriate
HPC Notice Part 4 Clause 48	Record of application of agrichemicals
HPC Notice Part 4 Clause 52	Agrichemicals that are hazardous to the aquatic environment must not be applied to water
HPC Notice Part 4 Subpart C	Qualifications required for the application of substances that are hazardous to the environment
ACVM Act and Regulations	
ACVM Approval No See www.foodsafety.govt.nz for registration controls	P9257

Glossary

ACVM	Agricultural Compounds and Veterinary Medicines Act 1997.
EC50	Median effective concentration.
EEL	Environmental Exposure Limit.
EPA	Environmental Protection Authority.
HSNO	Hazardous Substances and New Organisms Act 1996.
HSW	Health and Safety at Work Act 2015.
HSW (HS) Regulations	Health and Safety at Work (Hazardous Substances) Regulations 2017.
LC50	Lethal concentration that will kill 50% of the test organisms inhaling or ingesting it.
LD50	Lethal dose to kill 50% of test animals/organisms.
LEL	Lower explosive level.
OSHA	American Occupational Safety and Health Administration.
TEL	Tolerable Exposure Limit.
TLV	Threshold Limit Value-an exposure limit set by responsible authority.
UEL	Upper Explosive Level.
WES	Workplace Exposure Limit.

References:

1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
2. Workplace Exposure Standards and Biological Exposure Indices Nov 2017 edition.
3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
4. Transport of Dangerous goods on land NZS 5433
5. HSW (Hazardous Substances) Regulations 2017

Disclaimer:

This document has been issued by Adama New Zealand Ltd and serves as their Safety Data Sheet ('SDS'). It is based on information concerning the product which is held by Adama New Zealand Ltd or has been obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. While Adama New Zealand Ltd have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, Adama New Zealand Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS. The information herein is given in good faith, but no warranty, express or implied is made.

Issue Date

07 May 2024

Review Date:

07 May 2029