# Beetrix®

## Arxada NZ Limited

Chemwatch Hazard Alert Code: **2**

Chemwatch: **5377-16**
Version No: **8.2**
Safety Data Sheet according to the Health and Safety at Work (Hazardous Substances) Regulations 2017

Initial Date: **08/01/2020**
Revision Date: **15/09/2025**
Print Date: **18/09/2025**
L.GHS.NZL.EN.E

## SECTION 1 Identification of the substance / mixture and of the company / undertaking

### Product Identifier

| | |
|---|---|
| **Product name** | Beetrix® |
| **Chemical Name** | Not Applicable |
| **Synonyms** | ACVM approval: P008612 |
| **Proper shipping name** | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains metamitron, ethofumesate and phenmedipham) |
| **Chemical formula** | Not Applicable |
| **Other means of identification** | Not Available |

### Relevant identified uses of the substance or mixture and uses advised against

| | |
|---|---|
| **Relevant identified uses** | Herbicide.<br>Use according to manufacturer's directions. |

### Details of the manufacturer or importer of the safety data sheet

| | |
|---|---|
| **Registered company name** | **Arxada NZ Limited** |
| **Address** | 13-15 Hudson Road Bell Block New Plymouth 4312 New Zealand |
| **Telephone** | +64 6 755 9234 |
| **Fax** | +64 6 755 1174 |
| **Website** | www.arxada.co.nz |
| **Email** | office-newplymouth@arxada.com |

### Emergency telephone number

| | |
|---|---|
| **Association / Organisation** | **Arxada NZ Limited** |
| **Emergency telephone number(s)** | **0800 243 622** |
| **Other emergency telephone number(s)** | **+64 4 917 9888 (International)** |

## SECTION 2 Hazards identification

### Classification of the substance or mixture

| | |
|---|---|
| **Classification [1]** | Sensitisation (Skin) Category 1, Acute Toxicity (Inhalation) Category 4, Specific Target Organ Toxicity - Repeated Exposure Category 2, Hazardous to the Aquatic Environment Long-Term Hazard Category 2, Hazardous to Soil Organisms |
| ***Legend:*** | ***1. Classified by Chemwatch; 2. Classification drawn from CCID EPA NZ; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI*** |

### Label elements

| | |
|---|---|
| **Hazard pictogram(s)** | |
| **Signal word** | **Warning** |

### Hazard statement(s)

| | |
|---|---|
| **H317** | May cause an allergic skin reaction. |
| **H332** | Harmful if inhaled. |
| **H373** | May cause damage to organs through prolonged or repeated exposure. |
| **H411** | Toxic to aquatic life with long lasting effects. |
| **H423** | Hazardous to soil organisms. |

### Precautionary statement(s) Prevention

| | |
|---|---|
| **P260** | Do not breathe mist/vapours/spray. |

**Page 1 continued...**

| | |
|---|---|
| **P271** | Use only outdoors or in a well-ventilated area. |
| **P280** | Wear protective gloves and protective clothing. |
| **P273** | Avoid release to the environment. |
| **P272** | Contaminated work clothing should not be allowed out of the workplace. |

**Precautionary statement(s) Response**

| | |
|---|---|
| **P302+P352** | IF ON SKIN: Wash with plenty of water. |
| **P312** | Call a POISON CENTER/doctor/physician/first aider/if you feel unwell. |
| **P333+P313** | If skin irritation or rash occurs: Get medical advice/attention. |
| **P362+P364** | Take off contaminated clothing and wash it before reuse. |
| **P391** | Collect spillage. |
| **P304+P340** | IF INHALED: Remove person to fresh air and keep comfortable for breathing. |

**Precautionary statement(s) Storage**

Not Applicable

**Precautionary statement(s) Disposal**

| | |
|---|---|
| **P501** | Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation. |

No further product hazard information.

## SECTION 3 Composition / information on ingredients

**Substances**

See section below for composition of Mixtures

**Mixtures**

| CAS No | %[weight] | Name |
|---|---|---|
| 41394-05-2 | 10-20 | metamitron |
| 13684-63-4 | 1-5 | phenmedipham |
| 26225-79-6 | 1-5 | ethofumesate |
| Not Available | balance | Ingredients determined not to be hazardous |
| Not Available | | includes |
| 7732-18-5 | 50-70 | water |

| | |
|---|---|
| ***Legend:*** | ***1. Classified by Chemwatch; 2. Classification drawn from CCID EPA NZ; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 4. Classification drawn from C&L; * EU IOELVs available*** |

## SECTION 4 First aid measures

**Description of first aid measures**

| | |
|---|---|
| **Eye Contact** | If this product comes in contact with the eyes:<br>▸ Wash out immediately with fresh running water.<br>▸ Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.<br>▸ Seek medical attention without delay; if pain persists or recurs seek medical attention.<br>▸ Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. |
| **Skin Contact** | If skin contact occurs:<br>▸ Immediately remove all contaminated clothing, including footwear.<br>▸ Flush skin and hair with running water (and soap if available).<br>▸ Seek medical attention in event of irritation. |
| **Inhalation** | ▸ If fumes or combustion products are inhaled remove from contaminated area.<br>▸ Lay patient down. Keep warm and rested.<br>▸ Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures.<br>▸ Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary.<br>▸ Transport to hospital, or doctor, without delay. |
| **Ingestion** | ▸ **IF SWALLOWED, REFER FOR MEDICAL ATTENTION, WHERE POSSIBLE, WITHOUT DELAY.**<br>▸ For advice, contact a Poisons Information Centre or a doctor.<br>▸ Urgent hospital treatment is likely to be needed.<br>▸ In the mean time, qualified first-aid personnel should treat the patient following observation and employing supportive measures as indicated by the patient's condition.<br>▸ If the services of a medical officer or medical doctor are readily available, the patient should be placed in his/her care and a copy of the SDS should be provided. Further action will be the responsibility of the medical specialist.<br>▸ If medical attention is not available on the worksite or surroundings send the patient to a hospital together with a copy of the SDS.<br><br>**Where medical attention is not immediately available or where the patient is more than 15 minutes from a hospital or unless instructed otherwise:**<br>▸ **INDUCE** vomiting with fingers down the back of the throat, **ONLY IF CONSCIOUS**. Lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.<br>**NOTE:** Wear a protective glove when inducing vomiting by mechanical means. |

**Indication of any immediate medical attention and special treatment needed**

1,2-Benzisothiazoline-3-one (BIT) is rapidly metabolised in animals. Neither the substance nor its metabolites accumulate in the liver or adipose tissue. Excretion is mainly via the urine. The main metabolite is o-methylsulfinylbenzamide

**Continued...**

Treat symptomatically.

## SECTION 5 Firefighting measures

### Extinguishing media

- Foam.
- Dry chemical powder.
- BCF (where regulations permit).
- Carbon dioxide.
- Water spray or fog - Large fires only.

### Special hazards arising from the substrate or mixture

| | |
|---|---|
| **Fire Incompatibility** | ‣ Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result |

### Advice for firefighters

| | |
|---|---|
| **Fire Fighting** | ‣ Alert Fire Brigade and tell them location and nature of hazard.<br>‣ Wear full body protective clothing with breathing apparatus.<br>‣ Prevent, by any means available, spillage from entering drains or water course.<br>‣ Use water delivered as a fine spray to control fire and cool adjacent area.<br>‣ Avoid spraying water onto liquid pools.<br>‣ **DO NOT** approach containers suspected to be hot.<br>‣ Cool fire exposed containers with water spray from a protected location.<br>‣ If safe to do so, remove containers from path of fire. |
| **Fire/Explosion Hazard** | ‣ Combustible.<br>‣ Slight fire hazard when exposed to heat or flame.<br>‣ Heating may cause expansion or decomposition leading to violent rupture of containers.<br>‣ On combustion, may emit toxic fumes of carbon monoxide (CO).<br>‣ May emit acrid smoke.<br>‣ Mists containing combustible materials may be explosive.<br>Combustion products include:<br>carbon dioxide ($CO_2$)<br>nitrogen oxides (NOx)<br>sulfur oxides (SOx)<br>other pyrolysis products typical of burning organic material. |

## SECTION 6 Accidental release measures

### Personal precautions, protective equipment and emergency procedures

See section 8

### Environmental precautions

See section 12

### Methods and material for containment and cleaning up

| | |
|---|---|
| **Minor Spills** | Environmental hazard - contain spillage.<br>‣ Clean up all spills immediately.<br>‣ Avoid breathing vapours and contact with skin and eyes.<br>‣ Control personal contact with the substance, by using protective equipment.<br>‣ Contain and absorb spill with sand, earth, inert material or vermiculite.<br>‣ Wipe up.<br>‣ Place in a suitable, labelled container for waste disposal. |
| **Major Spills** | Environmental hazard - contain spillage.<br>‣ Absorb or contain isothiazolinone liquid spills with sand, earth, inert material or vermiculite.<br>‣ The absorbent (and surface soil to a depth sufficient to remove all of the biocide) should be shovelled into a drum and treated with an 11% solution of sodium metabisulfite ($Na_2S_2O_5$) or sodium bisulfite ($NaHSO_3$), or 12% sodium sulfite ($Na_2SO_3$) and 8% hydrochloric acid (HCl).<br>‣ Glutathione has also been used to inactivate the isothiazolinones.<br>‣ Use 20 volumes of decontaminating solution for each volume of biocide, and let containers stand for at least 30 minutes to deactivate microbicide before disposal.<br>‣ If contamination of drains or waterways occurs, advise emergency services.<br>‣ After clean up operations, decontaminate and launder all protective clothing<br>‣ and equipment before storing and re-using.<br>Moderate hazard.<br>‣ Clear area of personnel and move upwind.<br>‣ Alert Fire Brigade and tell them location and nature of hazard.<br>‣ Wear breathing apparatus plus protective gloves.<br>‣ Prevent, by any means available, spillage from entering drains or water course.<br>‣ No smoking, naked lights or ignition sources.<br>‣ Increase ventilation.<br>‣ Stop leak if safe to do so.<br>‣ Contain spill with sand, earth or vermiculite.<br>‣ Collect recoverable product into labelled containers for recycling.<br>‣ Absorb remaining product with sand, earth or vermiculite.<br>‣ Collect solid residues and seal in labelled drums for disposal.<br>‣ Wash area and prevent runoff into drains.<br>‣ If contamination of drains or waterways occurs, advise emergency services. |

Personal Protective Equipment advice is contained in Section 8 of the SDS.

## SECTION 7 Handling and storage

### Precautions for safe handling

| | |
|---|---|
| **Safe handling** | ‣ **DO NOT** allow clothing wet with material to stay in contact with skin<br>‣ Avoid all personal contact, including inhalation. |

**Continued...**

| | |
|---|---|
| | ▸ Wear protective clothing when risk of exposure occurs.<br>▸ Use in a well-ventilated area.<br>▸ Prevent concentration in hollows and sumps.<br>▸ **DO NOT** enter confined spaces until atmosphere has been checked.<br>▸ Avoid smoking, naked lights or ignition sources.<br>▸ Avoid contact with incompatible materials.<br>▸ When handling, **DO NOT** eat, drink or smoke.<br>▸ Keep containers securely sealed when not in use.<br>▸ Avoid physical damage to containers.<br>▸ Always wash hands with soap and water after handling.<br>▸ Work clothes should be laundered separately.<br>▸ Use good occupational work practice.<br>▸ Observe manufacturer's storage and handling recommendations contained within this SDS.<br>▸ Atmosphere should be regularly checked against established exposure standards to ensure safe working conditions. |
| **Other information** | ▸ Store in original containers.<br>▸ Keep containers securely sealed.<br>▸ Store in a cool, dry, well-ventilated area.<br>▸ Store away from incompatible materials and foodstuff containers.<br>▸ Protect containers against physical damage and check regularly for leaks.<br>▸ Observe manufacturer's storage and handling recommendations contained within this SDS. |

### Conditions for safe storage, including any incompatibilities

| | |
|---|---|
| **Suitable container** | ▸ Polyethylene or polypropylene container.<br>▸ Packing as recommended by manufacturer.<br>▸ Check all containers are clearly labelled and free from leaks. |
| **Storage incompatibility** | ▸ Avoid reaction with oxidising agents |

| | | | | | | |
|---|---|---|---|---|---|---|
| + | x | + | o | + | + | o |

X — *Must not be stored together*
0 — *May be stored together with specific preventions*
\+ — *May be stored together*

***Note: Depending on other risk factors, compatibility assessment based on the table above may not be relevant to storage situations, particularly where large volumes of dangerous goods are stored and handled. Reference should be made to the Safety Data Sheets for each substance or article and risks assessed accordingly.***

## SECTION 8 Exposure controls / personal protection

### Control parameters

**Occupational Exposure Limits (OEL)**

**INGREDIENT DATA**

Not Available

| Ingredient | Original IDLH | Revised IDLH |
|---|---|---|
| metamitron | Not Available | Not Available |
| phenmedipham | Not Available | Not Available |
| ethofumesate | Not Available | Not Available |
| water | Not Available | Not Available |

**MATERIAL DATA**

### Exposure controls

**Appropriate engineering controls**

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.
The basic types of engineering controls are:
Process controls which involve changing the way a job activity or process is done to reduce the risk.
Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment. Ventilation can remove or dilute an air contaminant if designed properly. The design of a ventilation system must match the particular process and chemical or contaminant in use.
Employers may need to use multiple types of controls to prevent employee overexposure.

Local exhaust ventilation usually required. If risk of overexposure exists, wear approved respirator. Correct fit is essential to obtain adequate protection. Supplied-air type respirator may be required in special circumstances. Correct fit is essential to ensure adequate protection.
An approved self contained breathing apparatus (SCBA) may be required in some situations.
Provide adequate ventilation in warehouse or closed storage area. Air contaminants generated in the workplace possess varying "escape" velocities which, in turn, determine the "capture velocities" of fresh circulating air required to effectively remove the contaminant.

| Type of Contaminant: | Air Speed: |
|---|---|
| solvent, vapours, degreasing etc., evaporating from tank (in still air). | 0.25-0.5 m/s (50-100 f/min.) |
| aerosols, fumes from pouring operations, intermittent container filling, low speed conveyer transfers, welding, spray drift, plating acid fumes, pickling (released at low velocity into zone of active generation) | 0.5-1 m/s (100-200 f/min.) |
| direct spray, spray painting in shallow booths, drum filling, conveyer loading, crusher dusts, gas discharge (active generation into zone of rapid air motion) | 1-2.5 m/s (200-500 f/min.) |
| grinding, abrasive blasting, tumbling, high speed wheel generated dusts (released at high initial velocity into zone of very high rapid air motion). | 2.5-10 m/s (500-2000 f/min.) |

Within each range the appropriate value depends on:

| Lower end of the range | Upper end of the range |
|---|---|

**Continued...**

| | |
|---|---|
| 1: Room air currents minimal or favourable to capture | 1: Disturbing room air currents |
| 2: Contaminants of low toxicity or of nuisance value only. | 2: Contaminants of high toxicity |
| 3: Intermittent, low production. | 3: High production, heavy use |
| 4: Large hood or large air mass in motion | 4: Small hood-local control only |

Simple theory shows that air velocity falls rapidly with distance away from the opening of a simple extraction pipe. Velocity generally decreases with the square of distance from the extraction point (in simple cases). Therefore the air speed at the extraction point should be adjusted, accordingly, after reference to distance from the contaminating source. The air velocity at the extraction fan, for example, should be a minimum of 1-2 m/s (200-400 f/min) for extraction of solvents generated in a tank 2 meters distant from the extraction point. Other mechanical considerations, producing performance deficits within the extraction apparatus, make it essential that theoretical air velocities are multiplied by factors of 10 or more when extraction systems are installed or used.

**Individual protection measures, such as personal protective equipment**

**Eye and face protection**

- Safety glasses with side shields.
- Chemical goggles. [AS/NZS 1337.1, EN166 or national equivalent]
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or irritation - lens should be removed in a clean environment only after workers have washed hands thoroughly. [CDC NIOSH Current Intelligence Bulletin 59].

**Skin protection**

See Hand protection below

**Hands/feet protection**

- Wear chemical protective gloves, e.g. PVC.
- Wear safety footwear or safety gumboots, e.g. Rubber

**NOTE:**

- The material may produce skin sensitisation in predisposed individuals. Care must be taken, when removing gloves and other protective equipment, to avoid all possible skin contact.
- Contaminated leather items, such as shoes, belts and watch-bands should be removed and destroyed.

The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice.
Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturiser is recommended.
Suitability and durability of glove type is dependent on usage. Important factors in the selection of gloves include:
· frequency and duration of contact,
· chemical resistance of glove material,
· glove thickness and
· dexterity
Select gloves tested to a relevant standard (e.g. Europe EN 374, US F739, AS/NZS 2161.1 or national equivalent).
· When prolonged or frequently repeated contact may occur, a glove with a protection class of 5 or higher (breakthrough time greater than 240 minutes according to EN 374, AS/NZS 2161.10.1 or national equivalent) is recommended.
· When only brief contact is expected, a glove with a protection class of 3 or higher (breakthrough time greater than 60 minutes according to EN 374, AS/NZS 2161.10.1 or national equivalent) is recommended.
· Some glove polymer types are less affected by movement and this should be taken into account when considering gloves for long-term use.
· Contaminated gloves should be replaced.
As defined in ASTM F-739-96 in any application, gloves are rated as:
· Excellent when breakthrough time > 480 min
· Good when breakthrough time > 20 min
· Fair when breakthrough time < 20 min
· Poor when glove material degrades
For general applications, gloves with a thickness typically greater than 0.35 mm, are recommended.
It should be emphasised that glove thickness is not necessarily a good predictor of glove resistance to a specific chemical, as the permeation efficiency of the glove will be dependent on the exact composition of the glove material. Therefore, glove selection should also be based on consideration of the task requirements and knowledge of breakthrough times.
Glove thickness may also vary depending on the glove manufacturer, the glove type and the glove model. Therefore, the manufacturers technical data should always be taken into account to ensure selection of the most appropriate glove for the task.
Note: Depending on the activity being conducted, gloves of varying thickness may be required for specific tasks. For example:
· Thinner gloves (down to 0.1 mm or less) may be required where a high degree of manual dexterity is needed. However, these gloves are only likely to give short duration protection and would normally be just for single use applications, then disposed of.
· Thicker gloves (up to 3 mm or more) may be required where there is a mechanical (as well as a chemical) risk i.e. where there is abrasion or puncture potential
Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturiser is recommended.

- Butyl rubber gloves

· Nitrile rubber gloves (Note: Nitric acid penetrates nitrile gloves in a few minutes.)

**Body protection**

See Other protection below

**Other protection**

- Overalls.
- P.V.C apron.
- Barrier cream.
- Skin cleansing cream.
- Eye wash unit.

### Recommended material(s)

**GLOVE SELECTION INDEX**

Glove selection is based on a modified presentation of the:
***"Forsberg Clothing Performance Index".***
The effect(s) of the following substance(s) are taken into account in the ***computer-generated*** selection:
Beetrix®

### Respiratory protection

Type A Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Selection of the Class and Type of respirator will depend upon the level of breathing zone contaminant and the chemical nature of the contaminant. Protection Factors (defined as the ratio of contaminant outside and inside the mask) may also be important.

**Continued...**

| Material | CPI |
|---|---|
| BUTYL | A |
| NEOPRENE | A |
| VITON | A |
| NATURAL RUBBER | C |
| PVA | C |

* CPI - Chemwatch Performance Index
A: Best Selection
B: Satisfactory; may degrade after 4 hours continuous immersion
C: Poor to Dangerous Choice for other than short term immersion
**NOTE**: As a series of factors will influence the actual performance of the glove, a final selection must be based on detailed observation. -
* Where the glove is to be used on a short term, casual or infrequent basis, factors such as "feel" or convenience (e.g. disposability), may dictate a choice of gloves which might otherwise be unsuitable following long-term or frequent use. A qualified practitioner should be consulted.

**Ansell Glove Selection**

| **Glove** — *In order of recommendation* |
|---|
| AlphaTec® Solvex® 37-185 |
| AlphaTec® 38-612 |
| AlphaTec® 58-008 |
| AlphaTec® 58-530B |
| AlphaTec® 58-530W |
| AlphaTec® 58-735 |
| AlphaTec® 79-700 |
| AlphaTec® Solvex® 37-675 |
| DermaShield™ 73-711 |
| MICROFLEX® 63-864 |

***The suggested gloves for use should be confirmed with the glove supplier.***

| Required minimum protection factor | Maximum gas/vapour concentration present in air p.p.m. (by volume) | Half-face Respirator | Full-Face Respirator |
|---|---|---|---|
| up to 10 | 1000 | A-AUS / Class1 | - |
| up to 50 | 1000 | - | A-AUS / Class 1 |
| up to 50 | 5000 | Airline * | - |
| up to 100 | 5000 | - | A-2 |
| up to 100 | 10000 | - | A-3 |
| 100+ | | | Airline** |

* - Continuous Flow ** - Continuous-flow or positive pressure demand
A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

- Cartridge respirators should never be used for emergency ingress or in areas of unknown vapour concentrations or oxygen content.
- The wearer must be warned to leave the contaminated area immediately on detecting any odours through the respirator. The odour may indicate that the mask is not functioning properly, that the vapour concentration is too high, or that the mask is not properly fitted. Because of these limitations, only restricted use of cartridge respirators is considered appropriate.
- Cartridge performance is affected by humidity. Cartridges should be changed after 2 hr of continuous use unless it is determined that the humidity is less than 75%, in which case, cartridges can be used for 4 hr. Used cartridges should be discarded daily, regardless of the length of time used

## SECTION 9 Physical and chemical properties

### Information on basic physical and chemical properties

| | |
|---|---|
| **Appearance** | White liquid; mixes in water. |

| | | | |
|---|---|---|---|
| **Physical state** | Liquid | **Relative density (Water = 1)** | 1.08 |
| **Odour** | Not Available | **Partition coefficient n-octanol / water** | Not Available |
| **Odour threshold** | Not Available | **Auto-ignition temperature (°C)** | Not Available |
| **pH (as supplied)** | 4.5-6.5 | **Decomposition temperature (°C)** | Not Available |
| **Melting point / freezing point (°C)** | Not Available | **Viscosity (cSt)** | Not Available |
| **Initial boiling point and boiling range (°C)** | Not Available | **Molecular weight (g/mol)** | Not Applicable |
| **Flash point (°C)** | >100 | **Taste** | Not Available |
| **Evaporation rate** | Not Available | **Explosive properties** | Not Available |
| **Flammability** | Not Applicable | **Oxidising properties** | Not Available |
| **Upper Explosive Limit (%)** | Not Available | **Surface Tension (dyn/cm or mN/m)** | Not Available |
| **Lower Explosive Limit (%)** | Not Available | **Volatile Component (%vol)** | Not Available |
| **Vapour pressure (kPa)** | Not Available | **Gas group** | Not Available |
| **Solubility in water** | Miscible | **pH as a solution (1%)** | Not Available |
| **Vapour density (Air = 1)** | Not Applicable | **VOC g/L** | Not Available |
| **Heat of Combustion (kJ/g)** | Not Available | **Ignition Distance (cm)** | Not Available |
| **Flame Height (cm)** | Not Available | **Flame Duration (s)** | Not Available |
| **Enclosed Space Ignition Time Equivalent (s/m3)** | Not Available | **Enclosed Space Ignition Deflagration Density (g/m3)** | Not Available |

## SECTION 10 Stability and reactivity

| | |
|---|---|
| **Reactivity** | See section 7 |
| **Chemical stability** | ▸ Unstable in the presence of incompatible materials.<br>▸ Product is considered stable.<br>▸ Hazardous polymerisation will not occur. |
| **Possibility of hazardous reactions** | See section 7 |
| **Conditions to avoid** | See section 7 |

**Continued...**

| | |
|---|---|
| **Incompatible materials** | See section 7 |
| **Hazardous decomposition products** | See section 5 |

## SECTION 11 Toxicological information

### Information on toxicological effects

| | |
|---|---|
| **a) Acute Toxicity** | There is sufficient evidence to classify this material as acutely toxic. |
| **b) Skin Irritation/Corrosion** | Based on available data, the classification criteria are not met. |
| **c) Serious Eye Damage/Irritation** | Based on available data, the classification criteria are not met. |
| **d) Respiratory or Skin sensitisation** | There is sufficient evidence to classify this material as sensitising to skin or the respiratory system |
| **e) Mutagenicity** | Based on available data, the classification criteria are not met. |
| **f) Carcinogenicity** | Based on available data, the classification criteria are not met. |
| **g) Reproductivity** | Based on available data, the classification criteria are not met. |
| **h) STOT - Single Exposure** | Based on available data, the classification criteria are not met. |
| **i) STOT - Repeated Exposure** | There is sufficient evidence to classify this material as toxic to specific organs through repeated exposure |
| **j) Aspiration Hazard** | Based on available data, the classification criteria are not met. |

| | |
|---|---|
| **Inhaled** | Limited evidence or practical experience suggests that the material may produce irritation of the respiratory system, in a significant number of individuals, following inhalation. In contrast to most organs, the lung is able to respond to a chemical insult by first removing or neutralising the irritant and then repairing the damage. The repair process, which initially evolved to protect mammalian lungs from foreign matter and antigens, may however, produce further lung damage resulting in the impairment of gas exchange, the primary function of the lungs. Respiratory tract irritation often results in an inflammatory response involving the recruitment and activation of many cell types, mainly derived from the vascular system.<br>Inhalation of vapours or aerosols (mists, fumes), generated by the material during the course of normal handling, may be harmful. |
| **Ingestion** | Accidental ingestion of the material may be damaging to the health of the individual. |
| **Skin Contact** | Limited evidence exists, or practical experience predicts, that the material either produces inflammation of the skin in a substantial number of individuals following direct contact, and/or produces significant inflammation when applied to the healthy intact skin of animals, for up to four hours, such inflammation being present twenty-four hours or more after the end of the exposure period. Skin irritation may also be present after prolonged or repeated exposure; this may result in a form of contact dermatitis (nonallergic). The dermatitis is often characterised by skin redness (erythema) and swelling (oedema) which may progress to blistering (vesiculation), scaling and thickening of the epidermis. At the microscopic level there may be intercellular oedema of the spongy layer of the skin (spongiosis) and intracellular oedema of the epidermis.<br>Skin contact with the material may damage the health of the individual; systemic effects may result following absorption.<br>Open cuts, abraded or irritated skin should not be exposed to this material<br>Entry into the blood-stream through, for example, cuts, abrasions, puncture wounds or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected. |
| **Eye** | Limited evidence exists, or practical experience suggests, that the material may cause eye irritation in a substantial number of individuals and/or is expected to produce significant ocular lesions which are present twenty-four hours or more after instillation into the eye(s) of experimental animals. Repeated or prolonged eye contact may cause inflammation characterised by temporary redness (similar to windburn) of the conjunctiva (conjunctivitis); temporary impairment of vision and/or other transient eye damage/ulceration may occur. |
| **Chronic** | Practical experience shows that skin contact with the material is capable either of inducing a sensitisation reaction in a substantial number of individuals, and/or of producing a positive response in experimental animals.<br>Substances that can cause occupational asthma (also known as asthmagens and respiratory sensitisers) can induce a state of specific airway hyper-responsiveness via an immunological, irritant or other mechanism. Once the airways have become hyper-responsive, further exposure to the substance, sometimes even to tiny quantities, may cause respiratory symptoms. These symptoms can range in severity from a runny nose to asthma. Not all workers who are exposed to a sensitiser will become hyper-responsive and it is impossible to identify in advance who are likely to become hyper-responsive.<br>Substances than can cuase occupational asthma should be distinguished from substances which may trigger the symptoms of asthma in people with pre-existing air-way hyper-responsiveness. The latter substances are not classified as asthmagens or respiratory sensitisers<br>Wherever it is reasonably practicable, exposure to substances that can cuase occupational asthma should be prevented. Where this is not possible the primary aim is to apply adequate standards of control to prevent workers from becoming hyper-responsive.<br>Activities giving rise to short-term peak concentrations should receive particular attention when risk management is being considered. Health surveillance is appropriate for all employees exposed or liable to be exposed to a substance which may cause occupational asthma and there should be appropriate consultation with an occupational health professional over the degree of risk and level of surveillance.<br>Repeated or long-term occupational exposure is likely to produce cumulative health effects involving organs or biochemical systems. |

| | | |
|---|---|---|
| **Beetrix®** | **TOXICITY** | **IRRITATION** |
| | Not Available | Not Available |
| **metamitron** | **TOXICITY** | **IRRITATION** |
| | dermal (rat) LD50: >1000 mg/kg[2] | Not Available |
| | Inhalation (Rat) LC50: >0.331 mg/L4h[2] | |
| | Oral (Dog) LD50; >1000 mg/kg[2] | |
| **phenmedipham** | **TOXICITY** | **IRRITATION** |
| | Dermal (rabbit) LD50: 3000 mg/kg[2] | Eye: no adverse effect observed (not irritating)[1] |
| | Inhalation (Rat) LC50: >7 mg/l4h[2] | Skin: no adverse effect observed (not irritating)[1] |
| | Oral (Dog) LD50; >4000 mg/kg[2] | |
| **ethofumesate** | **TOXICITY** | **IRRITATION** |
| | dermal (rat) LD50: >1440 mg/kg[2] | Not Available |
| | Inhalation (Rat) LC50: >3.97 mg/l4h[2] | |

**Continued...**

| | | |
|---|---|---|
| | Oral (Rat) LD50: >5000 mg/kg[2] | |
| **water** | **TOXICITY** | **IRRITATION** |
| | Oral (Rat) LD50: >90000 mg/kg[2] | Not Available |

| | |
|---|---|
| ***Legend:*** | ***1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances*** |

| | |
|---|---|
| **METAMITRON** | (aerosol) * ADI 0.13 mg/kg b.w. * Toxicity Class WHO III; EPA III NOEL (2 y) for rats 250, dogs 100 mg/kg diet (87 weeks) for mice 56 mg/kg diet * |
| **PHENMEDIPHAM** | NOEL (2 y) for rats 100, dogs 1000 mg/kg; (90 d) for rats and dogs 200 mg/kg diet * ADI 0.03 mg/kg * Toxicity Class WHO Table 5; EPA IV * for carbamates:<br>Carbamates are effective insecticides by virtue of their ability to inhibit acetylcholinesterase (AChE) (EC 3.1.1.7) in the nervous system. They can also inhibit other esterases. The carbamylation of the enzyme is unstable, and the regeneration of AChE is relatively rapid compared with that from a phosphorylated enzyme. Thus, carbamate pesticides are less dangerous with regard to human exposure than organophosphorus pesticides. The ratio between the dose required to produce death and the dose required to produce minimum symptoms of poisoning is substantially larger for carbamate compounds than for organophosphorus compounds. A dose-effect relationship exists between the dose, the severity of symptoms, and the degree of cholinesterase (ChE) inhibition. Because most carbamates have a low volatility, inhalation studies are mainly carried out using a dust or mist. In these studies, the toxicity is highly dependent on the size of the particles or droplets and, therefore, difficult to evaluate. The acute dermal toxicity of carbamates is generally low to moderate.<br>From controlled human studies, it is clear that poisoning symptoms can be seen a few minutes after exposure, and can last for a few hours. Thereafter, recovery starts and within hours, the symptoms disappear, and the ChE activity in erythrocytes and plasma returns to normal, because the carbamate is rather rapidly metabolised and the metabolites excreted. The appearance of these metabolites in the urine may be used for biological monitoring. Apart from the symptoms indicative of ChE poisoning, other signs and symptoms induced by certain carbamates have been described, such as skin and eye irritation, hyperpigmentation, and influence on the function of testes (slight increase of sperm abnormalities). These signs and symptoms were found in a few studies and should be confirmed before it can be stated that they were induced by carbamates. Epidemiological studies with persons primarily exposed to carbamates are not available.<br>Carbamates produce slight to moderate skin and eye irritation, depending on the vehicle used, duration of contact, and on whether the substance is applied to the abraded or intact skin. From the available data, it cannot be excluded that some of the carbamates will have a slight to moderate sensitization potential. Short- and long-term toxicity studies have been carried out. Some carbamates are very toxic and others are less toxic in long- term studies. From these studies, it is evident that, apart from the anticholinesterase activity, the following changes can be found: an influence on the haemopoietic system, an influence on the functioning of, and, at higher dosages, degeneration of, the liver and kidneys, and degeneration of testes. These abnormalities in the different organ systems depend on the animal strain and on the chemical structure of the carbamate. A clear influence on the nervous system, functional as well as histological, was found, particularly in non-laboratory animals such as pigs.<br>A considerable number of reproduction and teratogenicity studies have been carried out with different carbamates and various animal species. Different types of abnormalities were found, i.e., increase in mortality, disturbance of the endocrine system, and effects on the hypophysis and its gonadotrophic function. These effects were mainly seen at high dose levels. Generally, the fetal effects included an increase in mortality, decreased weight gain in the first weeks after birth, and induction of early embryonic death. All these effects can be summarized as embryotoxic effects. Certain carbamates also induce teratogenic effects, mainly at high dose levels applied by stomach tube. When the same dose level was administered with the diet, no effects were seen.<br>Some carbamates induce mutagenic effects, others are negative. In general, the methyl carbamates are negative in mammalian tests, while compounds such as carbendazim, benomyl, and the 2 thiophanate derivatives showed a positive effect with very high dose levels in certain systems. The benzimidazole moiety may act as a base analogue for DNA and as a spindle poison. They are antimitotic agents and cause mitotic arrest, mitotic delay, and a low incidence of chromosome damage. Sometimes, the results are contradictory or cannot be reproduced, but positive results for point mutation and chromosome aberrations are well documented. These benzimidazole derivatives can be considered as weak mutagenic compounds.<br>Carcinogenicity studies with benzimidazole derivatives showed either positive or equivocal results. Added to the fact that certain mutagenicity studies also give positive results, it cannot be excluded that these compounds may have carcinogenic or promotor properties. Carbamate pesticides may be converted to ***N*** -nitroso compounds. This was demonstrated in a great number of ***in vivo*** nitrosation studies in which high levels of the carbamates were administered to animals in combination with high levels of nitrite. These ***N*** - nitroso compounds have to be considered as mutagenic and carcinogenic. However, the amount of nitroso compounds that can be expected to result from dietary intake of carbamate pesticide residues is negligible in comparison with nitroso-precursors that occur naturally in food and drinking-water.<br>The metabolic fate of carbamates is basically the same in plants, insects, and mammals. Carbamates are usually easily absorbed through the skin, mucous membranes, and respiratory and gastrointestinal tracts, but there are exceptions. Generally, the metabolites are less toxic than the parent compounds. However, in certain cases, the metabolites are just as toxic or even more toxic than the parent carbamate. In most mammals, the metabolites are mainly excreted rather rapidly in the urine. The dog seems to be different in this respect. Accumulation takes place in certain cases, but is of minor importance because of the rapid metabolism. The first step in the metabolism of carbamates is hydrolysis to carbamic acid, which decomposes to carbon dioxide ($CO_2$) and the corresponding amine. The rate of hydrolysis by esterases is faster in mammals than in plants and insects.<br>The organs in which residues have been reported are the liver, kidneys, brain, fat, and muscle. The half-life in the rat is of the order of 3 - 8 h. From the limited data available, it seems that the excretion of carbamates via urine is also rapid in man, and that the metabolic pathways in man are the same as those in the rat<br><br>The material may produce severe irritation to the eye causing pronounced inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis.<br>32mutagen<br>Exposure to the material for prolonged periods may cause physical defects in the developing embryo (teratogenesis). |
| **ETHOFUMESATE** | NOEL (2 y) for rats >1000 mg/kg diet * ADI 0.5 mg/kg * Toxicity Class EPA IV *<br>In mammals, fatty acid elongation greater than C18 also occurs, primarily on the endoplasmic reticulum, and utilizes CoA derivatives, as is found in plants. In mammals, long-chain fatty acids are important for membrane phospholipids and for neural growth and myelination.<br>The acetanilide and thiocarbamate herbicides are relatively non-toxic to mammals but some effects have been noted. Molinate, a thiocarbamate, has caused testicular lesions in rats with a single dose, after sulfoxidation within the organism. The lesion was characterized by failed spermiation and phagocytosis of spermatids. In a 2-year rat study, metolachlor, an acetanilide, caused the wasting of testicles at doses of 150 mg/kg/day. Acetochlor has also been shown to cause testicular toxicity in male dogs given 10 and 50 mg/kg/day with a decrease in testes weight, atrophy and degeneration of seminiferous tubules and hypospermia.There were also affects on the kidney and severe neurological effects at 50 mg/kg/day consisting of abnormal head movements, stiffness and rigidity of hind limbs, ataxia tremor and other symptoms. These effects were accompanied by histopathological findings in the vermis cerebellum.The toxic effect of the sulfoxide metabolite of molinate was attributed to inhibition of esterase activity,which decreased plasma and testicular testosterone concentrations.However, this metabolite seems to be selectively produced in rodents and is not found in other mammals, including humans.No connection has ever been made between the toxic effects of acetanilides and thiocarbamates on mammals and inhibition of VLCFAs. However, very-long-chain polyunsaturated fatty acids (>24) are normally found in excitatory tissues, and myelin-deficient mouse mutants have very low fatty acid elongation activity. In addition, very-long-chain fatty acids are highly important in rat sperm maturation. During their transit from the caput to the cauda segments of the epididymis, rat spermatozoa lipid content and composition change significantly. The proportions of oleate and linoleate fatty acids decrease and there is an increase in the longer-chain fatty acids (C20 – C24) as well as the uncommon long-chain polyenoic fatty acids of the n-9 series. It might be highly informative to determine whether these two |

**Continued...**

| | |
|---|---|
| | classes of herbicides inhibit very-long-chain fatty acid biosynthesis in mammals as well as in plants, and to see whether there is any connection between the mammalian toxicity of these chemicals and very-long-chain fatty acid synthesis..<br>The material may be irritating to the eye, with prolonged contact causing inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis.<br>The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin.<br>Inhibitors of acetyl CoA carboxylase, the target enzyme of certain herbicides, have the capacity, in mammals, to alter blood lipid levels. In the male rat, a reduction ($p < 0.05$) in blood cholesterol and total lipids in a chronic study may be a reflection of inhibition of this enzyme. However, in the female mouse, there was an increase in blood cholesterol at the highest dose tested, in a subchronic study . Male mice in this study showed an increase in total lipids at the two highest doses. It is therefore possible that many of the effects reported in acute, subchronic and chronic studies are manifestations of a compromise of normal liver function. The inhibition of fatty acid biosynthesis, in the liver. may account for the majority of the effects observed. However, increases in liver weight, seen in acute and sub-chronic studies, and decreases in liver weight, which are seen in chronic studies, alone, do not necessarily reflect an adverse effect. This is because liver weight changes have often been found to be reversible, in subchronic studies following the discontinuation of dosing, or through adaptation mechanisms, with the continued dietary intake of fenoxaprop-ethyl. in chronic studies. |
| **WATER** | No significant acute toxicological data identified in literature search. |
| **METAMITRON & PHENMEDIPHAM & ETHOFUMESATE** | ***[ * The Pesticides Manual, Incorporating The Agrochemicals Handbook, 10th Edition, Editor Clive Tomlin, 1994, British Crop Protection Council]*** |

| | | | |
|---|---|---|---|
| **Acute Toxicity** | ✔ | **Carcinogenicity** | ✘ |
| **Skin Irritation/Corrosion** | ✘ | **Reproductivity** | ✘ |
| **Serious Eye Damage/Irritation** | ✘ | **STOT - Single Exposure** | ✘ |
| **Respiratory or Skin sensitisation** | ✔ | **STOT - Repeated Exposure** | ✔ |
| **Mutagenicity** | ✘ | **Aspiration Hazard** | ✘ |

***Legend:*** ✘ ***– Data either not available or does not fill the criteria for classification***
✔ ***– Data available to make classification***

## SECTION 12 Ecological information

### Toxicity

**Beetrix®**

| Endpoint | Test Duration (hr) | Species | Value | Source |
|---|---|---|---|---|
| Not Available | Not Available | Not Available | Not Available | Not Available |

**metamitron**

| Endpoint | Test Duration (hr) | Species | Value | Source |
|---|---|---|---|---|
| EC50 | 72h | Algae or other aquatic plants | 1.8mg/l | 1 |
| EC50 | 48h | Crustacea | 101.7mg/l | 1 |
| EC50 | 96h | Algae or other aquatic plants | 2.87mg/l | 4 |
| NOEC(ECx) | 24h | Algae or other aquatic plants | 0.019mg/L | 4 |

**phenmedipham**

| Endpoint | Test Duration (hr) | Species | Value | Source |
|---|---|---|---|---|
| EC50 | 48h | Crustacea | 3.6-4.8mg/L | 4 |
| NOEC(ECx) | 96h | Algae or other aquatic plants | 0.008mg/l | 1 |
| EC50 | 96h | Algae or other aquatic plants | 0.13mg/l | 1 |
| LC50 | 96h | Fish | 1.4-3mg/l | Not Available |

**ethofumesate**

| Endpoint | Test Duration (hr) | Species | Value | Source |
|---|---|---|---|---|
| NOEC(ECx) | 504h | Crustacea | ca.0.32mg/l | 1 |
| EC50 | 48h | Crustacea | ca.13.52mg/l | 1 |
| LC50 | 96h | Fish | 0.1-1mg/l | 4 |

**water**

| Endpoint | Test Duration (hr) | Species | Value | Source |
|---|---|---|---|---|
| Not Available | Not Available | Not Available | Not Available | Not Available |

***Legend:*** ***Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data***

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Do NOT allow product to come in contact with surface waters or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment wash-waters.
Wastes resulting from use of the product must be disposed of on site or at approved waste sites.
Toxic to soil organisms.
**DO NOT** discharge into sewer or waterways.

### Persistence and degradability

| Ingredient | Persistence: Water/Soil | Persistence: Air |
|---|---|---|
| metamitron | HIGH | HIGH |
| phenmedipham | HIGH | HIGH |
| water | LOW | LOW |

**Continued...**

**Bioaccumulative potential**

| Ingredient | Bioaccumulation |
|---|---|
| metamitron | LOW (LogKOW = 1.4428) |
| phenmedipham | LOW (BCF = 165) |
| ethofumesate | LOW (BCF = 67) |
| water | LOW (LogKOW = -1.38) |

**Mobility in soil**

| Ingredient | Mobility |
|---|---|
| metamitron | LOW (Log KOC = 3278) |
| phenmedipham | LOW (Log KOC = 2589) |

## SECTION 13 Disposal considerations

**Waste treatment methods**

| | |
|---|---|
| **Product / Packaging disposal** | ▸ Containers may still present a chemical hazard/ danger when empty.<br>▸ Return to supplier for reuse/ recycling if possible.<br>Otherwise:<br>▸ If container can not be cleaned sufficiently well to ensure that residuals do not remain or if the container cannot be used to store the same product, then puncture containers, to prevent re-use, and bury at an authorised landfill.<br>▸ Where possible retain label warnings and SDS and observe all notices pertaining to the product.<br>Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.<br>A Hierarchy of Controls seems to be common - the user should investigate:<br>▸ Reduction<br>▸ Reuse<br>▸ Recycling<br>▸ Disposal (if all else fails)<br>This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. If it has been contaminated, it may be possible to reclaim the product by filtration, distillation or some other means. Shelf life considerations should also be applied in making decisions of this type. Note that properties of a material may change in use, and recycling or reuse may not always be appropriate.<br>▸ **DO NOT** allow wash water from cleaning or process equipment to enter drains.<br>▸ It may be necessary to collect all wash water for treatment before disposal.<br>▸ In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first.<br>▸ Where in doubt contact the responsible authority.<br>▸ Recycle wherever possible or consult manufacturer for recycling options.<br>▸ Consult State Land Waste Authority for disposal.<br>▸ Bury or incinerate residue at an approved site.<br>▸ Recycle containers if possible, or dispose of in an authorised landfill. |

Ensure that the hazardous substance is disposed in accordance with the Hazardous Substances (Disposal) Notice 2017

**Disposal Requirements**

Packages that have been in direct contact with the hazardous substance must be only disposed if the hazardous substance was appropriately removed and cleaned out from the package. The package must be disposed according to the manufacturer's directions taking into account the material it is made of. Packages which hazardous content have been appropriately treated and removed may be recycled.
The hazardous substance must only be disposed if it has been treated by a method that changed the characteristics or composition of the substance and it is no longer hazardous.
Only dispose to the environment if a tolerable exposure limit has been set for the substance.
Only deposit the hazardous substance into or onto a landfill or sewage facility or incinerator, where the hazardous substance can be handled and treated appropriately.

## SECTION 14 Transport information

**Labels Required**

| | |
|---|---|
| | |
| **Marine Pollutant** | |
| **HAZCHEM** | •3Z |

**Land transport (UN)**

| | |
|---|---|
| 14.1. **UN number or ID number** | 3082 |
| 14.2. **UN proper shipping name** | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains metamitron, ethofumesate and phenmedipham) |
| 14.3. **Transport hazard class(es)** | Class: 9<br>Subsidiary Hazard: Not Applicable |
| 14.4. **Packing group** | III |

**Continued...**

| | |
|---|---|
| 14.5. **Environmental hazard** | Environmentally hazardous |
| 14.6. **Special precautions for user** | Special provisions: 274; 331; 335; 375<br>Limited quantity: 5 L |

**Air transport (ICAO-IATA / DGR)**

| | |
|---|---|
| 14.1. **UN number** | 3082 |
| 14.2. **UN proper shipping name** | Environmentally hazardous substance, liquid, n.o.s. (contains metamitron, ethofumesate and phenmedipham) |
| 14.3. **Transport hazard class(es)** | ICAO/IATA Class: 9<br>ICAO / IATA Subsidiary Hazard: Not Applicable<br>ERG Code: 9L |
| 14.4. **Packing group** | III |
| 14.5. **Environmental hazard** | Environmentally hazardous |
| 14.6. **Special precautions for user** | Special provisions: A97 A158 A197 A215<br>Cargo Only Packing Instructions: 964<br>Cargo Only Maximum Qty / Pack: 450 L<br>Passenger and Cargo Packing Instructions: 964<br>Passenger and Cargo Maximum Qty / Pack: 450 L<br>Passenger and Cargo Limited Quantity Packing Instructions: Y964<br>Passenger and Cargo Limited Maximum Qty / Pack: 30 kg G |

**Sea transport (IMDG-Code / GGVSee)**

| | |
|---|---|
| 14.1. **UN number** | 3082 |
| 14.2. **UN proper shipping name** | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains metamitron, ethofumesate and phenmedipham) |
| 14.3. **Transport hazard class(es)** | IMDG Class: 9<br>IMDG Subsidiary Hazard: Not Applicable |
| 14.4. **Packing group** | III |
| 14.5 **Environmental hazard** | Marine Pollutant |
| 14.6. **Special precautions for user** | EMS Number: F-A, S-F<br>Special provisions: 274 335 969<br>Limited Quantities: 5 L |

### 14.7. Maritime transport in bulk according to IMO instruments

#### 14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

#### 14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

| Product name | Group |
|---|---|
| metamitron | Not Available |
| phenmedipham | Not Available |
| ethofumesate | Not Available |
| water | Not Available |

#### 14.7.3. Transport in bulk in accordance with the IGC Code

| Product name | Ship Type |
|---|---|
| metamitron | Not Available |
| phenmedipham | Not Available |
| ethofumesate | Not Available |
| water | Not Available |

## SECTION 15 Regulatory information

**Safety, health and environmental regulations / legislation specific for the substance or mixture**

This substance is to be managed using the conditions specified in an applicable Group Standard

| HSR Number | Group Standard |
|---|---|
| HSR100524 | Not Available |

Please refer to Section 8 of the SDS for any applicable tolerable exposure limit or Section 12 for environmental exposure limit.

**metamitron is found on the following regulatory lists**

**Continued...**

New Zealand Approved Hazardous Substances with controls
New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chemicals
New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chemicals - Classification Data
New Zealand Inventory of Chemicals (NZIoC)
New Zealand Land Transport Rule: Dangerous Goods 2005 - Schedule 1 Quantity limits for dangerous goods

**phenmedipham is found on the following regulatory lists**

New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chemicals
New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chemicals - Classification Data
New Zealand Inventory of Chemicals (NZIoC)
New Zealand Land Transport Rule: Dangerous Goods 2005 - Schedule 1 Quantity limits for dangerous goods

**ethofumesate is found on the following regulatory lists**

New Zealand Approved Hazardous Substances with controls
New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chemicals
New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chemicals - Classification Data
New Zealand Inventory of Chemicals (NZIoC)
New Zealand Land Transport Rule: Dangerous Goods 2005 - Schedule 1 Quantity limits for dangerous goods

**water is found on the following regulatory lists**

New Zealand Inventory of Chemicals (NZIoC)

### Additional Regulatory Information

Not Applicable

### Hazardous Substance Location

Subject to the Health and Safety at Work (Hazardous Substances) Regulations 2017.

| Hazard Class | Quantities |
|---|---|
| Not Applicable | Not Applicable |

### Certified Handler

Subject to Part 4 of the Health and Safety at Work (Hazardous Substances) Regulations 2017.

| Class of substance | Quantities |
|---|---|
| Not Applicable | Not Applicable |

Refer Group Standards for further information

### Maximum quantities of certain hazardous substances permitted on passenger service vehicles

Subject to Regulation 13.14 of the Health and Safety at Work (Hazardous Substances) Regulations 2017.

| Hazard Class | Gas (aggregate water capacity in mL) | Liquid (L) | Solid (kg) | Maximum quantity per package for each classification |
|---|---|---|---|---|
| 6.5A or 6.5B | 120 | 1 | 3 | |

### Tracking Requirements

Not Applicable

### National Inventory Status

| National Inventory | Status |
|---|---|
| Australia - AIIC / Australia Non-Industrial Use | No (metamitron) |
| Canada - DSL | No (metamitron; phenmedipham; ethofumesate) |
| Canada - NDSL | No (metamitron; phenmedipham; ethofumesate; water) |
| China - IECSC | No (metamitron; phenmedipham; ethofumesate) |
| Europe - EINEC / ELINCS / NLP | Yes |
| Japan - ENCS | No (metamitron; ethofumesate) |
| Korea - KECI | No (metamitron; phenmedipham; ethofumesate) |
| New Zealand - NZIoC | Yes |
| Philippines - PICCS | No (metamitron; phenmedipham; ethofumesate) |
| USA - TSCA | TSCA Inventory 'Active' substance(s) (water); No (metamitron; phenmedipham; ethofumesate) |
| Taiwan - TCSI | Yes |
| Mexico - INSQ | No (metamitron; phenmedipham) |
| Vietnam - NCI | Yes |
| Russia - FBEPH | Yes |
| UAE - Control List (Banned/Restricted Substances) | No (metamitron; phenmedipham; ethofumesate; water) |
| ***Legend:*** | ***Yes = All CAS declared ingredients are on the inventory***<br>***No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.*** |

## SECTION 16 Other information

| | |
|---|---|
| **Revision Date** | 15/09/2025 |

**Continued...**

| | |
|---|---|
| **Initial Date** | 08/01/2020 |

**SDS Version Summary**

| Version | Date of Update | Sections Updated |
|---|---|---|
| 8.1 | 15/09/2025 | Hazards identification - Classification, Identification of the substance / mixture and of the company / undertaking - Synonyms |
| 8.2 | 17/09/2025 | Hazards identification - Classification, Identification of the substance / mixture and of the company / undertaking - Synonyms |

**Other information**

**Ingredients with multiple cas numbers**

| Name | CAS No |
|---|---|
| ethofumesate | 26225-79-6, 67293-74-7 |

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

**Definitions and abbreviations**

- PC—TWA: Permissible Concentration-Time Weighted Average
- PC—STEL: Permissible Concentration-Short Term Exposure Limit
- IARC: International Agency for Research on Cancer
- ACGIH: American Conference of Governmental Industrial Hygienists
- STEL: Short Term Exposure Limit
- TEEL: Temporary Emergency Exposure Limit。
- IDLH: Immediately Dangerous to Life or Health Concentrations
- ES: Exposure Standard
- OSF: Odour Safety Factor
- NOAEL: No Observed Adverse Effect Level
- LOAEL: Lowest Observed Adverse Effect Level
- TLV: Threshold Limit Value
- LOD: Limit Of Detection
- OTV: Odour Threshold Value
- BCF: BioConcentration Factors
- BEI: Biological Exposure Index
- DNEL: Derived No-Effect Level
- PNEC: Predicted no-effect concentration
- MARPOL: International Convention for the Prevention of Pollution from Ships
- IMSBC: International Maritime Solid Bulk Cargoes Code
- IGC: International Gas Carrier Code
- IBC: International Bulk Chemical Code

- AIIC: Australian Inventory of Industrial Chemicals
- DSL: Domestic Substances List
- NDSL: Non-Domestic Substances List
- IECSC: Inventory of Existing Chemical Substance in China
- EINECS: European INventory of Existing Commercial chemical Substances
- ELINCS: European List of Notified Chemical Substances
- NLP: No-Longer Polymers
- ENCS: Existing and New Chemical Substances Inventory
- KECI: Korea Existing Chemicals Inventory
- NZIoC: New Zealand Inventory of Chemicals
- PICCS: Philippine Inventory of Chemicals and Chemical Substances
- TSCA: Toxic Substances Control Act
- TCSI: Taiwan Chemical Substance Inventory
- INSQ: Inventario Nacional de Sustancias Químicas
- NCI: National Chemical Inventory
- FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

This document is copyright.
Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.
TEL (+61 3) 9572 4700.